

NEONATAL

Standard Abbreviations for Medication Charts

This document should be read in conjunction with this **DISCLAIMER**

PRESCRIBED INSTRUCTION	ACCEPTABLE ABBREVIATION		
Dose, Timing & Frequency			
Once a day	Daily		
Twice a day	BD		
Three times a day	TDS		
Four times a day	QID		
Every four hours	Every 4 hours, 4 hourly, 4 hrly		
Every 24 hours	Every 24 hours, 24 hourly, 24 hrly		
As necessary	PRN		
Routes of Administration			
Endotracheal tube	ETT		
Intra-arterial	IA		
Intramuscular	IM		
Intravenous	IV		
Nebulisation	Neb		
Nasogastric tube	NGT		
Oral	PO		
Subcutaneous	Subcut		
Units of Measure & Concentration			
Gram(s)	g		
Kilogram(s)	kg		
Litre(s)	L		
Microgram(s)	microg		
Milligram(s)	mg		
Millilitre(s)	mL		
Millimole(s)	mmol		
International units	Units		

Keywords:	Abbreviations, medication chart			
Publishing:				
Document owner:	Head of Department - Neonatology			
Author / Reviewer:	KEMH & PCH Pharmacy / Neonatology Directorate			
Date first issued:	March 2008	Version:	3.0	
Last reviewed:	January 2020	Next review date:	January 2023	
Endorsed by:	Neonatal Directorate Management Group	Date:	January 2020	
Standards Applicable: NSQHS Standards: 1 Governance, 3 Infection Control, 4 Medication Safety, 8 Acute Deterioration				

Printed or personally saved electronic copies of this document are considered uncontrolled.

Access the current version from the WNHS website.

For any enquiries relating to this guideline, please email KEMH.PharmacyAdmin@health.wa.gov.au

© Department of Health Western Australia 2020