





ADULT

# PANTOPRAZOLE

This document should be read in conjunction with this [DISCLAIMER](#)

<b>Presentation</b>	Tablet: 20mg, 40mg Granules: 40mg per sachet Vial: 40mg
<b>Dose</b>	<b><u>Peptic Ulcer Disease (PUD) or Gastric Oesophageal Reflux Disease (GORD)</u></b> <b>IV/Oral:</b> 40mg once daily  <b><u>Prevention of NSAID-associated dyspepsia</u></b> <b>Oral:</b> 20mg once daily  <b><u>Helicobacter Pylori eradication</u></b> <b>Oral:</b> 40mg twice daily (with two antibacterials)
<b>Administration</b>	<b><u>IV injection</u></b> <b>Step 1 Reconstitution:</b> Reconstitute the vial with 10 mL of Dodium chloride 0.9%. Final concentration is 4 mg/mL <b>Step 2 Administration:</b> Inject over at least 2 minutes  <b><u>IV Infusion</u></b> <b>Step 1 Reconstitution:</b> Reconstitute as above <b>Step 2 Dilution:</b> Dilute to 100mL with Sodium chloride 0.9%, Glucose 5% or Glucose 10% <b>Step 3 Administration:</b> Infuse over 15 minutes  <b><u>Oral</u></b> Swallow tablet whole, do not crush or chew. For symptom control, tablet is best taken half an hour before most troublesome meal.

<b>Pregnancy</b>	<p><b>1<sup>st</sup> Trimester:</b> Consider alternative</p> <p><b>2<sup>nd</sup> Trimester:</b> Consider alternative</p> <p><b>3<sup>rd</sup> Trimester:</b> Consider alternative</p> <p>If a proton pump inhibitor is required, omeprazole is the medicine of choice, as more fetal safety data is available</p>
<b>Breastfeeding</b>	Considered safe to use
<b>Clinical Guidelines and Policies</b>	<p><a href="#">Antenatal Care: Minor Symptoms or Disorders in Pregnancy</a></p> <p><a href="#">Gastro-Oesophageal Reflux</a></p> <p><a href="#">Prevention of gastric aspiration in pregnant women</a></p> <p><a href="#">Intravenous Medications - Procedure for Reconstitution and Administration</a></p> <p><a href="#">Standard Procedures for Reconstitution and Administration of IV Drugs (Adults)</a></p>
<b>References</b>	<p>Australian Medicines Handbook. Pantoprazole. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2017 [cited 2017 Sep 15]. Available from: <a href="https://amhonline.amh.net.au/">https://amhonline.amh.net.au/</a></p> <p>Society of Hospital Pharmacists of Australia. Pantoprazole. In: Australian Injectable Drugs Handbook [Internet]. [St Leonards, New South Wales]: Health Communication Network; 2017 [cited 2017 Sep 15]. Available from: <a href="http://aidh.hcn.com.au">http://aidh.hcn.com.au</a></p> <p>The Royal Women's Hospital. Pantoprazole. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2016 [cited 2017 Sep 15]. Available from: <a href="https://thewomenspbmg.org.au/">https://thewomenspbmg.org.au/</a></p>

Keywords:	Pantoprazole, Somac, GORD, reflux, peptic ulcer disease, salpraz, gastroesophageal reflux disease, PUD, PPI, proton pump inhibitor, H.pylori		
Publishing:	<input checked="" type="checkbox"/> Intranet <input checked="" type="checkbox"/> Internet		
Document owner:	Chief Pharmacist		
Author / Reviewer:	KEMH Pharmacy Department		
Date first issued:	Jan 2016	Version:	3.0
Last reviewed:	Sep 2017	Next review date:	Sep 2020
Endorsed by:	Medicines and Therapeutics Committee	Date:	Dec 2017
Standards Applicable:	NSQHS Standards: 1  Clinical Care is Guided by Current Best Practice 4  Medication Safety		
<b>Printed or personally saved electronic copies of this document are considered uncontrolled. Access the current version from the WNHS website.</b>			

© Department of Health Western Australia 2017