



Quiz activity template

This template can be used as an icebreaker/interactive activity to engage women in conversation about the importance of regular cervical screening at an information stall or display. Women lift the decorated paper underwear to reveal a question and an answer related to the prevention of cervical cancer.

You can select questions suitable to your needs from pages 5 to 9 of this document. The templates can also be adapted to suit your needs, i.e. exclude template A to encourage women to engage in conversation to determine the answers.


Instructions

1. You will need coloured A4 paper, adhesive (glue or sticky tape), scissors, a printer, craft materials to decorate template underwear and 15 minutes for construction time.
2. Print one of each of the three templates (A, B and C) and your selected questions and answers from pages 5 to 9 of this document.
3. Cut out the templates and the question and answer shapes along the solid lines, then attach the question and answer shapes to corresponding labels on the templates.
4. **Template B:** Fold along dotted line to create tab (so the tab/shaded section cannot be seen from the front). Place adhesive on the back of the tab/shaded section. Combine with template A – join the back of the tab/shaded section on template B to the back of template A (creates template BA).
5. **Template C:** Fold along dotted line to create tab (so the tab/shaded section cannot be seen from the front). Place adhesive on the back of the tab/shaded section. Combine with template BA – join the back of the tab/shaded section on template C to the back of template BA.
6. Using craft materials decorate template C.
7. Display as part of your activity.


Completed example




Template A: Bottom Front



Template B: Middle Front



Template C: Top



Do I need a Cervical Screening Test?

All women and people with a cervix aged 25 to 74 years who have ever had any sexual contact should have a regular cervical screening

This includes

- feel well and have no symptoms
- pregnant women
- have been vaccinated against HPV
- are going through menopause
- no longer have periods
- have not had sexual contact for a long time
- have only ever had one sexual partner
- have an intellectual and/or physical disability
- only have sex with women
- are transgender, gender diverse or nonbinary and have a cervix

Those who have had a hysterectomy should speak with their healthcare provider to check if they still need to screen



What is self-collection?

Self-collection is when you collect your own sample for cervical screening. It is a sample collected from the vagina to check for the presence of HPV.

Speak with your healthcare provider for further information.



What age do women begin cervical screening?

age 25

All women aged 25 to 74 years who have ever been sexually active should have a Cervical Screening Test every 5 years



An abnormal cervical test result means cancer. True or False?

False

An abnormal cervical test result means that the cells of the cervix appear different. This does not mean you have cervical cancer.



Do women who have had the HPV vaccine still need regular cervical screening?

Yes

The HPV vaccine does not protect against all types of HPV that can cause cervical cancer. This is why it is important for HPV-vaccinated women to continue to have regular cervical screening.

